



VIP LED



A modern line of system luminaires made of aluminum profile with high resistance parameters. The direct (DI) lighting beam can be obtained by means of microprismatic diffuser. Thanks to the series of additional mounting accessories the luminaires can be easily mounted and offer many different universal configurations.

Materials: Powder painted aluminum profile (grey color in standard), OPAL or MPRM diffuser.

Installation: Surface mounted, wall mounted, suspended.

Accessories: Joints (linear, 90°, T, X, Y, wall, ceiling); suspensions (simple, electric), end caps.

Power: 230V, the quick-release 5-pole connection block allows to join the luminaires in line.

ELECTRICAL DATA

Light source	LED
Number of light sources	1
Type of equipment	AC
Voltage rating	230 V
For through out powering	Yes
Light source included	Yes
Type of LED	5630

MECHANICAL DATA

Type of installation	Universal mounting
Housing material	Aluminum
Designed for light-line	Yes

INFORMATION

Colour	Grey
--------	------

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Energy class	A+
CE	Yes
PZH	Yes

LIGHT DATA

Light colour	White
Light distribution	Wide beam
Light distribution	DI
Class of luminaire	I

OPTICAL DATA

Reflector	High gloss
-----------	------------

AVAILABLE VARIANTS


Product code	Light source power [W]	Louver/shutter	Luminaire luminous flux [lm]	Luminaire luminous efficacy [lm/W]	Colour temperature [K]	Weight [kg]
PX4070101	1×17	OPAL	1250	73	3000	1.50
PX4070108	1×17	OPAL	1280	75	4000	1.50
PX4070115	1×24	OPAL	1880	78	3000	2.20
PX4070122	1×24	OPAL	1920	80	4000	2.20
PX4070129	1×31	OPAL	2510	80	3000	2.80
PX4070136	1×31	OPAL	2560	82	4000	2.80
PX4070143	1×38	OPAL	3140	82	3000	3.40
PX4070150	1×38	OPAL	3200	84	4000	3.40
PX4070157	1×44	OPAL	3760	85	3000	4.10
PX4070164	1×44	OPAL	3840	87	4000	4.10
PX4070171	1×52	OPAL	4390	84	3000	4.80

AVAILABLE VARIANTS

Product code	Light source power [W]	Louver/shutter	Luminarie luminous flux [lm]	Luminarie luminous efficacy [lm/W]	Colour temperature [K]	Weight [kg]
PX4070178	1×52	OPAL	4480	86	4000	4.80
PX4070201	1×17	MPRM	1880	110	3000	1.50
PX4070208	1×17	MPRM	1920	112	4000	1.50
PX4070215	1×24	MPRM	2830	117	3000	2.20
PX4070222	1×24	MPRM	2890	120	4000	2.20
PX4070229	1×31	MPRM	3770	121	3000	2.80
PX4070236	1×31	MPRM	3850	124	4000	2.80
PX4070243	1×38	MPRM	4710	123	3000	3.40
PX4070250	1×38	MPRM	4810	126	4000	3.40
PX4070257	1×44	MPRM	5660	128	3000	4.10
PX4070264	1×44	MPRM	5780	131	4000	4.10
PX4070271	1×52	MPRM	6600	126	3000	4.80
PX4070278	1×52	MPRM	6740	129	4000	4.80

BASIC DATA

Data etykiety oprawy | 07-2016



DIMENSIONS

Product code	L [mm]	W [mm]	H [mm]
PX4070101	585	65	65
PX4070108	585	65	65
PX4070115	875	65	65
PX4070122	875	65	65
PX4070129	1165	65	65
PX4070136	1165	65	65
PX4070143	1455	65	65
PX4070150	1455	65	65
PX4070157	1745	65	65
PX4070164	1745	65	65
PX4070171	2035	65	65
PX4070178	2035	65	65

DIMENSIONS

Product code	L [mm]	W [mm]	H [mm]
PX4070201	585	65	65
PX4070208	585	65	65
PX4070215	875	65	65
PX4070222	875	65	65
PX4070229	1165	65	65
PX4070236	1165	65	65
PX4070243	1455	65	65
PX4070250	1455	65	65
PX4070257	1745	65	65
PX4070264	1745	65	65
PX4070271	2035	65	65
PX4070278	2035	65	65

L = Length | W = Width | H = Height / Depth

MOUNTING HOLES

Product code	A [mm]
PX4070101	525
PX4070108	525
PX4070115	645
PX4070122	645
PX4070129	935
PX4070136	935
PX4070143	1225
PX4070150	1225
PX4070157	1515
PX4070164	1515
PX4070171	1805
PX4070178	1805
PX4070201	525
PX4070208	525
PX4070215	645
PX4070222	645
PX4070229	935
PX4070236	935
PX4070243	1225
PX4070250	1225
PX4070257	1515
PX4070264	1515
PX4070271	1805
PX4070278	1805

A = Spacing length

ACCESSORIES

Electric element



Electrical suspension
Pieces in set: 1

PX0922021

Grey

PX0922032

White

Structural element



VIP 3F - 3-phase electrical track

PX0922332

Grey



VIP Opal End cap

PX0922318

1x

Grey



VIP LED MPRM End cap

PX0922327

1x

Grey

Connecting element



VIP 90° joint

PX0922248

1x

Grey

Connecting element



VIP T joint

PX0922275

1x

Grey



VIP Cross joint

PX0922283

1x

Grey



Sigma/Velo/VIP/VIP G/K Invisible linear
joint Set (2 pcs)
Pieces in set: 2

PX0922227

Grey



VIP Y joint

PX0922285

1x

Grey

Installation element



VIP Wall joint 1x/2x Set (2 pcs)
Pieces in set: 2

PX0922206

Grey



VIP Ceiling joint Set (2 pcs)
Pieces in set: 2

PX0922164

1x

Grey

Installation element



Simple suspension

PX0922143
